



LU5C

HW - LAME PER IL TAGLIO DI METALLI NON FERROSI T.C.T. SAWBLADES TO CUT NON-FERROUS METALS



CARATTERISTICHE DEL DENTE - TOOTH'S FEATURES



Fascia del N. giri minimo e massimo consigliati in funzione del diametro della lama.
Minimum and maximum RPM based on the blade diameter.

D mm	B mm	b mm	d mm	Z	FT - NL	CODICE CODE
180	2,8	2,2	20	42		LU5C 0100 •
180	2,8	2,2	30	42		LU5C 0200 •
200	2,8	2,2	30	48		LU5C 0300 ○
250	3,5	3,0	30	54		LU5C 0400 •
250	3,5	3,0	32	54	2/11/63	LU5C 0500 ○
275	3,5	3,0	40	60		LU5C 0600 ○
300	3,5	3,0	30	72	FT02	LU5C 0700 •
300	3,5	3,0	32	72	2/11/63	LU5C 0800 ○
300	3,5	3,0	40	72	2/9/55+4/12/64	LU5C 0900 ○
330	3,5	3,0	30	80		LU5C 1000 ○
330	3,5	3,0	32	80	2/11/63	LU5C 1100 ○
350	3,5	3,0	30	84	FT02	LU5C 1200 •
350	3,5	3,0	32	84	2/11/63	LU5C 1300 ○
350	3,5	3,0	40	84	2/9/55+4/12/64	LU5C 1400 ○
370	3,5	3,0	30	90		LU5C 1500 ○
370	3,5	3,0	50	90	4/15/80	LU5C 1600 ○
380	3,5	3,0	32	96	2/11/63	LU5C 1700 ○
400	3,5	3,0	30	96	2/11/70	LU5C 1800 •
400	3,5	3,0	32	96	2/11/63	LU5C 1900 •
400	3,5	3,0	40	96	2/15/80+2/12/64	LU5C 2000 ○
400	3,5	3,0	50	96	4/15/80	LU5C 2100 ○
420	4,0	3,2	30	96	2/11/70	LU5C 2200 •
420	4,0	3,2	40	96		LU5C 2300 ○
450	4,0	3,2	30	108		LU5C 2400 •
450	4,0	3,2	32	108	2/11/63	LU5C 2500 •
450	4,0	3,2	40	108	2/15/80+2/12/64	LU5C 2600 ○
450	4,0	3,2	50	108	4/15/80	LU5C 2700 ○
500	4,0	3,2	30	120		LU5C 2800 ○
500	4,0	3,2	32	120	2/11/63	LU5C 2900 •
500	4,0	3,2	50	120	4/15/80	LU5C 3000 ○

FT02= 2/9/46,4 + 2/10/60

- > **Impiego:** Per il taglio di trafilati pieni con spessore oltre 5 mm. Si consiglia l'uso con la lama sopra il pezzo da tagliare.
- Machines:** Troncatrici con bloccaggio manuale o meccanico del pezzo.
- Caratteristiche:** Piano-trapezoidale con angolo di taglio negativo.
- Materiale:** Alluminio e metalli non ferrosi.
- > **Application:** To cut solid drawn products whose thickness exceeds 5 mm. It is recommendable to use it with the sawblade over the workpiece to be cut.
- Machines:** Mitre saws with manual or mechanical clamping of the piece.
- Features:** Flat-trapezoidal with negative cutting angle.
- Material:** Aluminium and non-ferrous metals.

SUFFICIENTE SUFFICIENT	BUONO GOOD	OTTIMO EXCELLENT

METALLI NON FERROSI
NON-FERROUS METALS

