


# Thin Kerf Ultimate Plywood & Melamine Blades

## LU79R



Features TiCo™  
Hi-Density Carbide  
Crosscutting Blend For  
Maximum Performance



Plywood Blades


## Flawless Finish In Veneered Plywood, Melamines & Laminates For Virtually Chip-Free Cuts

### Recommended Use & Cut Quality

RIPS WOOD:	
CROSSCUTS WOOD:	
CHIP BOARD:	
PLYWOOD:	
LAMINATE:	
NON-FERROUS:	Not Recommended
<b>CUT QUALITY:</b>	Fair → Good → Excellent (Not recommended for ferrous metals or masonry)



Depth of Cut




Using advanced technology, Freud developed the LU79 thin kerf line of saw blades that features laser-cut, anti-vibration slots that practically eliminate the vibrations that resonate in standard blades. This blade provides flawless, chip-free edges in veneered plywoods, fine moldings, melamine, laminates, and crosscuts in solid woods. The combination of Hi-ATB tooth design and anti-vibration slots makes these thin kerf blades the ultimate finish blades. The result is a cut so smooth it eliminates the need for a stabilizer or a scoring blade!

Application



**High Alternate Top Bevel (Hi-ATB) Tooth Design** produces splinter-free cuts



**Laser-Cut Anti-Vibration Slots** drastically reduce vibration and sideways movement in the cut extending blade life and giving a crisp, splinter-free flawless finish

SAW BLADES

	Perma-SHIELD®	Dia.	Teeth	Arbor	Kerf(K)	Plate(P)	
NEW	LU79R006M20*	160mm	48 Hi-ATB	20mm	.087"	.063"	← Ideal For Tracksaws
NEW	LU79R007	7-1/4"	60 Hi-ATB	5/8"	.079"	.063"	
	LU79R010	10"	80 Hi-ATB	5/8"	.098"	.071"	
	LU79R012	12"	96 Hi-ATB	1"	.098"	.071"	

\* Ideal for Tracksaws

• Carbide Grade Chart •

Increasing Hardness →

← Increasing Impact Strength

H30S H20S H10S **H01S** H00S H00K H00X

When you need a smooth finish on both sides of plywood or laminate use a zero clearance insert or blade with H-iATB teeth.

Tips  
Techniques

freud®